









9. Lee SY, Lee SW, Chung WT. Severe inflammation may be caused by hyperferritinemia of pseudo-pseudo Meigs' syndrome in lupus patients: two case reports and a literature review. *Clin Rheumatol*. 2013; 32: 1823-26.
10. McVorrán S, Song J, Pochineni V, Abrudescu-Opran A. Systemic lupus erythematosus presenting with massive ascites: a case of pseudo-pseudo meigs syndrome. *Case Rep Rheumatol*. 2016; 2016: 8701763.
11. Pott Júnior H, Amate Neto A, Teixeira MA, Provenza JR. Ascites due to lupus peritonitis: a rare form of onset of systemic lupus erythematosus. *Rev Bras Reumatol*. 2012; 52: 116-9.
12. Lim MK, Lee CK, Ju YS, et al. Serum ferritin as a serologic marker of activity in systemic lupus erythematosus. *Rheumatol Int*. 2001; 20: 89-93.
13. Watanabe R, Fujii H, Kamogawa Y, et al. Chronic lupus peritonitis is characterized by the ascites with a large content of interleukin-6. *Tohoku J Exp Med*. 2015; 235: 289-94.
14. Zeimet AG, Marth C, Offner FA, et al. Human peritoneal mesothelial cells are more potent than ovarian cancer cells in producing tumor marker CA-125. *Gynecol Oncol*. 1996; 62: 384-9.
15. Yang Z, Liang Y, Li C, Zhong R. Serum CA125 elevation is independently associated with serositis in SLE patients. *Clin Exp Rheumatol*. 2012; 30: 93-8.
16. Uthman I, Khamashta M. The abdominal manifestations of the antiphospholipid syndrome. *Rheumatology (Oxford)*. 2007; 46: 1641-7.

Non-commercial use only