











- activity indices for rheumatoid arthritis: validation of a clinical activity score. *Arthritis Res Ther.* 2005; 7: R796-806.
10. Wolfe F, Michaud K, Pincus T. Development and validation of the health assessment questionnaire. II. A revised version of the health assessment questionnaire. *Arthritis Rheum.* 2004; 50: 3296-305.
  11. El-Hadidi K, Gamal SM, Saad S. Inter-observer agreement of standard joint count examination and disease global assessment in a cohort of Egyptian Rheumatoid Arthritis patients. *Reumatol Clin.* 2017; 17: 30263-2.
  12. Cohen J. A coefficient of agreement for nominal scales. *Educ Psychol Measure.* 1960; 20: 37-46.
  13. Singh JA, Saag KG, Bridges SL Jr, et al. American College of Rheumatology guideline for the treatment of rheumatoid arthritis. *Arthritis Care Res (Hoboken).* 2016; 68: 1-25.
  14. Slama IB, Allali F, Lakhdar T, et al. Reliability and validity of CDAI and SDAI indices in comparison to DAS-28 index in Moroccan patients with rheumatoid arthritis. *BMC Musculoskelet Disord* 2015; 16: 268.
  15. Kumar BS, Suneetha P, Mohan A, et al. Comparison of Disease Activity Score in 28 joints with ESR (DAS28), Clinical Disease Activity Index (CDAI), Health Assessment Questionnaire Disability Index (HAQ-DI) & Routine Assessment of Patient Index Data with 3 measures (RAPID3) for assessing disease activity in patients with rheumatoid arthritis at initial presentation. *Indian J Med Res.* 2017; 146: S57-S62.
  16. Aletaha D, Nell VP, Stamm T, et al. Acute phase reactants add little to composite disease activity indices for rheumatoid arthritis: validation of a clinical activity score. *Arthritis Res Ther.* 2005; 7: R796-806.
  17. Dhaon P, Das SK, Srivastava R, Dhakad U. Performances of Clinical Disease Activity Index (CDAI) and Simplified Disease Activity Index (SDAI) appear to be better than the gold standard Disease Assessment Score (DAS-28-CRP) to assess rheumatoid arthritis patients. *Int J Rheum Dis.* 2018; 21: 1933-9.
  18. Gaujoux-Viala C, Mouterde G, Baillet A, et al. Evaluating disease activity in rheumatoid arthritis: which composite index is best? A systematic literature analysis of studies comparing the psychometric properties of the DAS, DAS28, SDAI and CDAI. *Joint Bone Spine.* 2012; 79:149-55.
  19. Eissa M, El Shafey A, Hammad M. Comparison between different disease activity scores in rheumatoid arthritis: an Egyptian multicenter study. *Clin Rheumatol.* 2017; 36: 2217-24.

Non-commercial use only